Index to Volume 2

NEWS

A C plasma panel, 165
Access control by card reader, 164
Accountant to zymologist, 224
Added interaction, 4
Adjusting ergonomically, 112
Advances in electroluminescence, 325
Advisory Editor, 15
Aerial combat study, 223
Alphanumeric digitizer, 161
. . . and LC displays, 226
Anti-reflective coatings, 4
Approval for radar CRTs, 159
Arabic and Latin characters, 107
Army and Navy LEDs, 321
ATC dabs data, 12
Automatic CRT measurement, 371
Award for LCD work, 225
Ball in the European field, 114
Banking machines, 59
Banking on Viewdata, 322
Bar coding opposed, 113
Bar graph circuits, 220
Bar graph display, 158
Bar graph plus digit display, 221
Better weather on the way, 318
Bi-colour LED line, 10
Bright sunlight, 161
Brite-lites, 162
CAD system, 4
Catalogued LCDs, 322
CCDs at IBC, 113
Central display system, 221
Coil power, 60
Collision avoidance system, 371
Colour combination, 321
Colour CRT, 166
Colour encoder advance, 321
Colour hard copier, 319
Colour in the home, 365
Colour option, 365
Colour plotter, 227
Colour prints by phone, 157
Colour test, 228
Colourful future, 160
Colourgraphic computer, 162
Communicating copier, 64
Communication-aided design, 64
Communication expander, 111
Compact monitor CRT, 370
Computer-aided design, 68
Computer-aided draughting, 110
Computer dating, 112
Conducting elastomer interconnection, 63
Constant output LED, 323
Control room ARGS, 2
Cost-cutting emulation, 368
Council plotting, 113
CRT for drivers, 164
CRT video timer-controller, 8
Custom LCDs, 324
Czech cheque, 156
Data books, 14
Data display yokes, 368
Data monitor, 67
Data-processing fertilizer, 160
Data ring for fact sharing, 6
Defence screen, 163
Designs on your screen, 154
Digital surveying, 59
Digital thermometer, 114
Direct speech, 69
Display camera, 322
Display of intelligence, 158
Displays expand faster, 218
Displays for multiplexing, 162
Dogfighting simulator, 61
Dot bar drivers, 11
Double vision, 366
Draughting, 12
Driver for VF displays, 226
Dynamic focus for CRTs, 58
Easy-to-use colour graphics, 322
Efficient size display, 219
EL flat screen, 364
Emerald green LED, 365
Emission harmless?, 320
Emmy for deaf subtitling, 158
Energy management, 67
Entry level graphics, 370
F–16 display contract, 364
Factory captivity, 58
Fast vector graphics terminal, 158
Fight for European market, 325
Filled reflector display, 167
Film or microfiche output, 369
Finding fault, 8
First impression, 320
Flat on its face, 324
Flat-screen TV, 317
Flexible keyboard, 323
Floppy disc expansion, 158
Fluid choices, 324
Fluorescent drivers, 12
Fluorescent range, 321
Focusing on VDU eye strain, 14
Future office brochure, 70
GaAs LED behaviour note, 371
Gas discharge displays, 166
Graphic shades, 66
Graphics directory, 167
Graphics image display, 3
Graphics package, 12
Graphics to boom, 114
Graphics worldwide, 320
Hand-held DMM, 3
Handwritten input, 367
Hard and fast, 221
Hard colour copy, 65
Hard copy, 6
Heavy-duty LED range, 370
High-contrast LCD, 166
High-flying PSDP, 61
Holidays for Viewdata, 161
Hybrid array for US marines, 370
Hybrid kit, 68
Improve your image, 226
Incandescents replaced, 320
Increased area for LCDS, 226
Independent drivers, 322
Inertial navigation, 225
Infra-red diodes, 65
Instant Viewdata graphics, 224
Instrument CRT, 366
Instrument LCD fluid, 227
Integrated data display, 13
Interface launched, 8
Interface to face, 112
Ireland's own, 107
Kalamazoo costing system, 11
Keeping a low profile, 161
Keyboards, drivers and shifters, 70
Kits for CRTs, 225
Large-screen projection, 108
Larger-format emulator, 323
Lasers in graphics, 371
LCDs for instrumentation, 164
LED line, 68
LED luminances measured, 320
LED symbols, 60
Less need for software, 220
Light-pen scan display, 225
Lite pipes in sight, 60
Liquid crystal update, 366
Longer leads for VDUs, 219
Low-cost hue measurement, 366
Low-cost VDU, 167
Low-level light pick-up, 161
Low-temperature display, 323
Matrix range extended, 324
Measuring amplifier, 112
Measuring up, 3
Memory LCs wind up, 363
Metal cased LEDs, 167
Microcomputer, 63
Microfilm graphics plot, 165
Microprocessor system edits, 227
Mightier than . . ., 6
Missile system arrays, 324
More columns on display, 323
More or less, 69
Mounting bushings, 165
Move to displays, 167
Multispectral densitometer, 369
Muscle fibre measurement, 106
Navy consoles, 65
Neon display, 166
Noise measurment, 5
No radiation hazard, 363
Non-impact makes its mark, 364

Nuclear measurment, 61
Office communication boost, 155
Office system, 110
Omni-font service, 66
One for the record, 110
'Onion skin' phosphor, 6
Optical character system, 228
Optoelectronic stock, 162
Order entry, 68
Package for graphics, 227
Panel meter, 69
Peripherals growth, 319
Pet business system, 108
pH meter, 70
Photogenic screen, 113
Pin compatible, 168
Plain graphics copy, 365
Plasma alphanumerics, 111
Plasma panel choice, 369
Plasma panels and HDD, 65
Pocket DMMs, 159
Prestel goes international, 222
Prestel inventor awarded, 13
Prestel ploughs on, 63
Prestel presses on, 156
Prestel terminals specified, 222
Price cuts for LCDs, 224
Printed circuit board catalogue, 14
Printer mechanisms, 8
Printer mechanisms, 10
Product analysis, 220
Profits increase, 369
Projection colour TV, 226
Quicker on the draw, 227
Raising the range, 9
Raster Tek' emulator, 66
Rectangular fibres, 369
Rectangular LED, 10
Red alert, 168
Red green array, 11
Red LED, 168
Refreshed raster, 67
Reports report, 62
Resistor lamps, 112
Resolution improvement, 6
Scottish outlook, 155
Screens cleared, 218
Sealed LCDs, 161
'Search and display', 109
Shadow mask sheet unveiled, 107
Shaped deflection coils, 364
Silicon image sensor, 58
Single chip kits, 68
Sino-Russian, 109
Small-size analysis, 368
Simulation contract, 323
Special shaoes, 325
Speech analysis for the deaf, 318
Speech synthesis, 106
Splitting image, 223
Square-mile systems, 66
Stacked bar packets, 9
State of the black art, 111
Students' design awards, 70
Tactical training, 59
Telecine scanning tubes, 107
Terminal choice, 7
Terminal for CAD, 221
Terminal for Europe, 325
Terminal module, 109
Terminals for commerce, 70
Test data management, 157
The engineering scene, 64
Thick film kits, 165
3½ DMM, 68
Three-colour split, 371
Transatlantic launch, 67
Transfer grid CRT, 325
TTC cut crystals, 5
Tunnel tracking system, 2
TV show display, 11
TV tubes shanghaied, 159
Twelve dimes for Rutherford, 3
12 x 7 characters, 218
Twice as bright, 366
Two in one, 10
Two in one, 226
Two to look up to, 8
UK marketing for VDUs, 223
Underwater VDU, 225
VDU emulators, 108
Vector pulmonary display, 370
Venus for Tornadoes, 69
Versatile colour copier, 219
VET report, 114
Video bills modern times, 2
Video digitizing, 5
Video education, 69
Video map generator, 108
Video standard, 224
Videodisc, 163
Vidicon for thermal TV, 167
Viewdata expertise exported, 107
Viewdata for lectures, 220
Viewdata printer, 13
Viewfinder tube, 70
Voice recognition, 58
Wall-mounted display disclosed, 59
Weight-watching, 114
Wide-angle LCDs, 220
Wide-angle viewing, 9
Wide-voltage LED, 324
Which graphics system?, 160
Zooming in, 221

BOOK REVIEWS

Electronic displays and information systems (reviewed by B. Shepherd, 377
Ergonomic aspects of visual display terminals *Edited by E. Grandjean, E. Vigliani* (reviewed by V.D. Hopkin), 327
Harvard library of computer graphics 1979 mapping collection, Volumes 1–3 (reviewed by D.J. Grover), 375
Human factors aspects of visual display unit operation *C. Mackay* (reviewed by T. Stewart), 272
The physics of liquid crystals *P.G. de Gennes* (reviewed by M.G. Clark), 149
Topics in applied physics: Display devices *Edited by J.I. Pankove* (reviewed by C. Hilsum), 328

CONFERENCES

Colour CRT displays in practice (3 December 1980), 269
Computer graphics '80 (13–15 August 1980), 213
Computervision '81 (12–14 January 1981), 270
Displays for avionics (15 October 1980), 216
Eighth international liquid crystal conference and exhibition (30 June–4 July 1980), 215
Electronic displays '80 (9–11 September 1980), 211
Interactive computer graphics – facilities and applications (28 March 1980), 101
International conference on luminescence (20–24 July 1981), 373
International scientific workshop on ergonomic aspects of visual display units (17–19 March 1980), 100
Peripherals at the centre exhibition (16–18 September 1980), 214
Seminex '81 (23–27 March 1981), 326
SPIE technical symposium east (20–24 April 1981), 326

TITLES OF ARTICLES

A comparative market survey of liquid crystal displays: the United States, Japan and Europe *J. Imakita* 331
A comparative study of active and passive displays for aircraft cockpit use *J.H. Wharf, D.V. Peters, R.N. Tyte, B. Ellis* 115
A dedicated graphic computer: is it time to specialize? *J.A. Lohr* 207
A figure of merit for brightness and contrast of reflec-

tive alphanumeric displays *A.E. Stieb* 281
Accommodation and visual fatigue in display work *O. Ostberg* 81
Brightness uniformity in liquid crystal television display *H. Hanmura, H. Kawakami, E. Kaneko* 178
Calculation of contrast in dyed phase-change liquid crystal displays *C. Hilsum* 279
Computer-generated imagery for training simulators *T.W. Rowley* 199
Data compression in interactive colour graphics using microprocessors *A.G. Heaton, C. Daskalakis, P.R. Miles M.A. Alvi* 236
Displays for avionics *G. Roe* 259
Dynamic illustrative graphics for simulations *P.P. Tanner, M. Wein, K.B. Evans* 245
Dynamic scattering in binary compensate cholesteric mixture with pleochroic dye added *I. Cuculescu, R. Bena, E. Popa, O. Savin* 143
Electrochromic and electrochemichromic displays *I.F. Chang* 275
Electroluminescent instrumentation *B. Shepherd* 337
Electroluminescent large-area image display *W. Lehmann* 29
Electro-optical limits of the electrically controlled birefringence effect in nematic liquid crystals *F. Clerc* 341
Ergonomic and medical aspects of VDU workplaces *E. Grandjean* 76
Experiment to select a suitable visual display and evaluate its washout characteristics *T. Crampin* 184
Flat smectic liquid crystal display panel *S. Le Berre, M. Hareng, R. Hehlen, J.N. Perbet* 349
Guest-host interaction in the compensated cholesteric mixture of cholesteryl chloride and cholesteryl laurate 74:26% molar *I. Cuculescu, C. Florea, A. Enache, I. Baciu* 86
Helmet-mounted display system for attack helicopters *D.J. Walker, R.W. Verona, J.H. Brindle* 129
High-resolution LED displays for avionic applications *D.K. Wickenden* 71
Human factors considerations for the interface between an electro-optical display and the human visual system *J. Laycock, R.A. Chorley* 304
Influence of VDU screen brightness on the visibility of reflected images *D. Bauer, M. Bonacker, C.R. Cavonius* 242
LCD pocket TV development in Japan *G. Labrunie* 301
Measurement of modulation transfer function for cathode ray tubes *J.R. Banbury, F.B. Whitfield* 189
Notes on the relationship between number of defects, defect separation and probability of rejection for defect separation in rectangular and circular display quality areas *F.G. Oess* 131
Piezoelectrically scanned display devices *C. Yakymyshyn* 287
Progress and prospects of complex liquid crystal displays *M.G. Clark* 169
Some practical applications of human factors data to solve VDU problems *D.J. Wheatley* 203
State of the art and new developments in optoelectronic displays *A. Shauer* 16
The application of computer graphics in the interpretation of laser Doppler and hot-wire anemometer measurements *I. Grant, F.H. Barnes* 353
The application of two-dimensional compression schemes to computer graphic display systems *C. Daskalakis, R. W. Laker, H.C.A. Hankins* 229
The visual perception of depth using electro-optical display systems *A.R. Buffett* 39
Transmission of alphanumerics by television *T.A. White* 295
Update rate for displays *S.J. Payne, M.B. Cooper* 181
Visibility of different coloured LED displays *E.W. Pdlmai, J. Schanda, G. Heine* 123
Visual design of information systems *M. Eisenbeis* 95
ZnSe and ZnS light emitting diodes *J. Woods* 251

TECHNICAL NOTES

Interactive display techniques for the Tektronix 4027 colour terminal *W. Gardner* 47
LCDs for use at low temperatures *J.P.M. d'Haens* 315
Liquid crystal graphics imager *R.W. Lester* 266
Multiplexed LCD with integrated driver *J.P.M. d'Haens* 360

AUTHORS OF ARTICLES AND TECHNICAL NOTES

M.A. Alvi, A.G. Heaton, C. Daskalakis, P.R. Miles Data compression in interactive colour graphics using microprocessors 236
I. Baciu, I. Cuculescu, C. Florea, A. Enache Guest-host interaction in the compensated cholesteric mixture of cholesteryl chloride and cholesteryl laurate 74:26% molar 86
J.R. Banbury, F.B. Whitfield Measurement of modulation transfer function for cathode ray tubes 189
F.H. Barnes, I. Grant The application of computer graphics in the interpretation of laser Doppler and hot-wire anemometer measurments 353
D. Bauer, M. Bonacker, C.R. Cavonius Influence of VDU screen brightness on the visibility of reflected images 242
R. Bena, E. Popa, O. Savin, I. Cuculescu Dynamic scattering in binary compensate cholesteric mixture with pleochroic dye added 143
M. Bonacker, C.R. Cavonius, D. Bauer Influence of VDU screen brightness on the visibility of reflected images 242
J.H. Brindle, D.J. Walker, R.W. Verona Helmet-mounted display system for attack helicopters 129
A.R. Buffett The visual perception of depth using electro-optical display systems 39
C.R. Cavonius, D. Bauer, M. Bonacker Influence of VDU screen brightness on the visibility of reflected images 242
I.F. Chang Electrochromic and electrochemichromic displays 275
R.A. Chorley, J. Laycock Human factors considerations for the interface between an electro-optical display and the human visual system 304
M.G. Clark Progress and prospects of complex liquid crystal displays 169
F. Clerc Electro-optical limits of the electrically controlled birefringence effect in nematic liquid crystals 341
M.B. Cooper, S.J. Payne Update rate for displays 181
T. Crampin Experiment to select a suitable visual display and evaluate its washout characteristics 184
I. Cuculescu, R. Bena, E. Popa, O. Savin Dynamic scattering in binary compensate cholesteric mixture with pleochroic dye added 143
I. Cuculescu, C. Florea, A. Enache, I. Baciu Guest-host interaction in the compensated cholesteric mixture of cholesteryl chloride and cholesteryl laurate 74:26% molar 86
C. Daskalakis, R.W. Laker, H.C.A. Hankins The application of two-dimensional compression schemes to computer graphic display systems 229

C. Daskalakis, P.R. Miles, M.A. Alvi, A.G. Heaton Data compression in interactive colour graphics using microprocessors 236
M. Eisenbeis Visual design of information systems 95
B. Ellis, J.H. Wharf, D.V. Peters, R.N. Tyte A comparative study of active and passive displays for aircraft cockpit use 115
A. Enache, I. Baciu, I. Cuculescu, C. Florea Guest-host interaction in the compensated cholesteric mixture of cholesteryl chloride and cholesteryl laurate 74:26% molar 86
K.B. Evans, P.P. Tanner, M. Wein Dynamic illustrative graphics for simulation 245
C. Florea, A. Enache, I. Baciu, I. Cuculescu Guest-host interaction in the compensated cholesteric mixture of cholesteryl chloride and cholesteryl laurate 74:26% molar 86
W. Gardner Interactive display techniques for the Tektronix 4027 colour terminal 47
E. Grandjean Ergonomic and medical aspects of VDU workplaces 76
I. Grant, F.H. Barnes The application of computer graphics in the interpretation of laser Doppler and hot-wire anemometer measurements 353
J.P.M. d'Haens LCDs for use at low temperature 315
J.P.M. d'Haens Multiplexed LCD with integrated driver 360
H.C.A. Hankins, C. Daskalakis, R.W. Laker The application of two-dimensional compression schemes to computer graphic display systems 229
H. Hanmura, H. Kawakami, E. Kaneko Brightness uniformity in liquid crystal television display 178
M. Hareng, R. Hehlen, J.N. Perbet, S. Le Berre Flat smectic liquid crystal display panel 349
A.G. Heaton, C. Daskalakis, P.R. Miles, M.A. Alvi Data compression in interactive colour graphics using microprocessors 236
R. Hehlen, J.N. Perbet, S. Le Berre, M. Hareng Flat smectic liquid crystal display panel 349
G. Heine, E.W. Pálmai, J. Schanda Visibility of different coloured LED displays 123
C. Hilsum Calculation of contrast in dyed phase-change liquid crystal displays 279
J. Imakita A comparative market survey of liquid crystal displays: the United States, Japan and Europe 331
E. Kaneko, H. Hanmura, H. Kawakami Brightness uniformity in liquid crystal television display 178
H. Kawakami, E. Kaneko, H. Hanmura Brightness uniformidity in liquid crystal television display 178
G. Labrunie LCD pocket TV developments in Japan 301
R.W. Laker, H.C.A. Hankins, C. Daskalakis The application of two-dimensional compression schemes to computer graphic display systems 229
J. Laycock, R.A. Chorley Human factors considerations for the interface between an electro-optical display and the human visual system 304
S. Le Berre, M. Hareng, R. Hehlen, J.N. Perbet Flat smectic liquid crystal display panel 349
W. Lehmann Electroluminescent large-area image display 29
R.W. Lester Liquid crystal graphics imager 266
J.A. Lohr A dedicated graphic computer: is it time to specialize? 207
P.R. Miles, M.A. Alvi, A.G. Heaton, C. Daskalakis Data compression in interactive colour graphics using microprocessors 236
F.G. Oess Notes on the relationship between number of defects, defect separation and probability of rejection for defect separation in rectangular and circular display quality areas 131
O. Ostberg Accommodation and visual fatigue in display work 81
E.W. Pálmai, J. Schanda, G. Heine Visibility of different coloured LED displays 123
S.J. Payne, M.B. Cooper Update rate for displays 181
J.N. Perbet, S. Le Berre, M. Hareng, R. Hehlen Flat smectic liquid crystal display panel 349
D.V. Peters, R.N. Tyte, B. Ellis, J.H. Wharf A comparative study of active and passive displays for aircraft cockpit use 115
E. Popa, O. Savin, I. Cuculescu, R. Bena Dynamic scattering in binary compensate cholestric mixture with pleochroic dye added 143
G. Roe Displays for avionics 259
T.W. Rowley Computer-generated imagery for training simulators 199
O. Savin, I. Cuculescu, R. Bena, E. Popa Dynamic scattering in binary compensate cholesteric mixture with pleochroic dye added 143
J. Schanda, G. Heine, E.W. Pálmai Visibility of different coloured LED displays 123
A. Shauer State of the art and new developments in optoelectronic displays 16
B. Shepherd Electroluminescent instrumentation 337
A.E. Stieb A figure of merit for brightness and contrast of reflective alphanumeric displays 281
P.P. Tanner, M. Wein, K.B. Evans Dynamic illustrative graphics for simulators 245
R.N. Tyte, B. Ellis, J.H. Wharf, D.V. Peters A comparative study of active and passive displays for aircraft cockpit use 115
R.W. Verona, J.H. Brindle, D.J. Walker Helmet-mounted display for attack helicopters 129
D.J. Walker, R.W. Verona, J.H. Brindle Helmet-mounted display for attack helicopters 129
M. Wein, K.B. Evans, P.P. Tanner Dynamic illustrative graphics for simulations 245
J.H. Wharf, D.V. Peters, R.N. Tyte, B. Ellis A comparative study of active and passive displays for aircraft cockpit use 115
D.J. Wheatley Some practical applications of human factors data to solve VDU problems 203
T.A. White Transmission of alphanumerics by television 295
F.B. Whitfield, J.R. Banbury Measurement of modulation transfer function for cathode ray tubes 189
D.K. Wickenden High resolution LED displays for avionic applications 71
J. Woods ZnSe and ZnS light emitting diodes 251
C. Yakymyshyn Piezoelectrically scanned display devices 287